

# EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2281	709/220.ccls. (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 13:26
S2	1590	mobile (sync or synchronize or synchronization) WITH (config or configuration) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 13:38
S3	11	mobile (sync or synchronize or synchronization) WITH (config or configuration) "master copy" (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 13:35
S4	1	("20020107920").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/06/21 13:35
S5	911	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 13:38
S6	677	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (automated or automatic) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/14 16:12
S7	160	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/14 11:48
S8	2689	mobile (sync or synchronize or synchronization) (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 16:00

S9	2969	subscriber (sync or synchronize or synchronization) (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 15:08
S10	1030	subscriber (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 15:12
S11	27	subscriber (automated or automatic) SAME (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 15:09
S12	830	mobile subscriber (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 15:12
S13	87	mobile subscriber WITH database (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 15:24
S14	1	("20030236874").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/06/21 15:24
S15	8552	mobile (preferences or configuration) WITH interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 16:01
S16	518	mobile (preferences or configuration) WITH interface web WITH interface voice with interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 16:01

S17	70	mobile (preferences or configuration) WITH interface web adj2 interface voice adj2 interface (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 16:06
S18	60	mobile (preferences or configuration) WITH interface (web adj2 interface).dett. (voice adj2 interface).dett. (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/06/21 16:08
S19	1	("6853714").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/06/21 16:09
S20	175	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset) (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/14 11:49
S21	11982	(sync or synchronize or synchronization) (master or primary) WITH (database or repository or configuration or settings or profile) (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/14 16:19
S22	3357	(sync or synchronize or synchronization) (master or primary) WITH (database or repository or configuration or settings or profile) (mobile or cellphone or handset or cellular) (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/14 16:19
S23	3267	(sync or synchronize or synchronization) (master or primary) WITH (database or repository or configuration or settings or profile) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:04
S24	2360	(sync or synchronize or synchronization) (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular or subscriber) (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:04

S25	2354	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular or subscriber) (@ad< "20031016" OR @riad< "20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:05
S26	1826	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular or subscriber) (@ad< "20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:05
S27	574	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) subscriber (@ad< "20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:05
S28	142	{sync or synchronize or synchronization) SAME ((master or primary) WITH (database or repository or copy)) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) subscriber (@ad< "20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:13
S29	3644	{sync or synchronize or synchronization) (master or primary) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) subscriber (@ad< "20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:14
S30	1	{sync or synchronize or synchronization) (master or primary) subscriber WITH (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad< "20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:15
S31	1	{sync or synchronize or synchronization) subscriber WITH (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad< "20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:15

S32	6666	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:15
S33	3644	{sync or synchronize or synchronization) (master or primary) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:15
S34	1118	{sync or synchronize or synchronization) (master or primary) subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:17
S35	294	{sync or synchronize or synchronization) SAME subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:42
S36	208	{(master or primary) (sync or synchronize or synchronization) SAME subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:17
S37	598	{sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:44
S38	424	{sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:45

S39	363	{sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (database or repository or copy) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 13:45
S40	384	{sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (database or repository or copy) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 14:06
S41	541	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("OTA" or "over-the-air" OR OTAS2) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 15:12
S42	1	("6549770").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/12/15 14:54
S43	1	("5930704").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/12/15 14:54
S44	454	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("over-the-air" OR "over the air") (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 15:17
S45	24	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("over-the-air" OR "over the air") WITH programming (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 15:22
S46	38	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("over-the-air" OR "over the air") WITH program\$4 (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 15:17

S47	51	{sync or synchronize or synchronization} subscriber ("over-the-air programming" OR "over the air programming" OR "OTA programming" OR OTAPA OR OTASP) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 15:29
S48	208	subscriber ("over-the-air programming" OR "over the air programming" OR "OTA programming" OR OTAPA OR OTASP) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 15:59
S49	7222	(mobile station) (sync or synchronize or synchronization) SAME (configuration or parameter or services or function or profile or setting) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:01
S50	2767	("mobile station") (sync or synchronize or synchronization) SAME (configuration or parameter or services or function or profile or setting) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:02
S51	73	("mobile station") (sync or synchronize or synchronization) SAME (configuration or parameter or services or function or profile or setting) SAME database (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:27
S52	3148	("mobile station" or cellphone or cellular) (update or synchronize) SAME (configuration or parameter or services or function or profile or setting) SAME database (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:27
S53	14486	("mobile station" or cellphone or cellular) (update or synchronize) SAME (configuration or parameter or services or function or profile or setting) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:30
S54	1088	("mobile station" or cellphone or cellular) (update or synchronize) WITH (configuration or parameter or services or function or profile or setting) WITH database (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:30
S55	126	("mobile station" or cellphone or cellular) (update or synchronize) SAME (configuration or parameter or services or function or profile or setting) OTA (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/12/15 16:33

S56	1	("20050059393").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/12/15 16:50
S57	1	("20030065738").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/12/15 16:50
S58	11502	{(mobile or cellphone or cellular) (update or synchronize or modify) SAME (configuration or services or profile or setting) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/02 16:40
S59	10093	{(mobile or cellphone or cellular) (user or subscriber) same (update or synchronize or modify or change) SAME (configuration or services or profile or setting) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/02 16:42
S60	5807	{(mobile or cellphone or cellular) (user or subscriber) same (update or synchronize or modify or change) WITH (configuration or services or profile or setting) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/02 16:42
S61	4264	{(mobile or cellphone or cellular) (user or subscriber) WITH (update or modify or change) WITH (configuration or services or profile or setting) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/02 16:45
S62	296	{(mobile or cellphone or cellular) (user or subscriber) WITH (update or modify or change) WITH (configuration or services or profile or setting) (send or download or synchronize) WITH (setting or configuration or profile or configuration) WITH (device or cellphone or mobile) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/02 16:46
S63	6750	{(mobile or cellphone or cellular) (user or subscriber) SAME (update or modify or change) WITH (configuration or services or profile or setting or features) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 12:17



S64	1296	{(mobile or cellphone or cellular) (user or subscriber) SAME (update or modify or change) WITH (configuration or services or profile or setting or features) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 12:19
S65	1612	{(mobile or cellphone or cellular) (user or subscriber) (configuration or services or profile or setting or features) WITH (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 12:52
S66	79	{(mobile or cellphone or cellular) (user or subscriber) (configuration or services or profile or setting or features) WITH (sync or synchronize or synchronization). detd. (master or subscriber or user) adj database (@ad<"20031016") not lucent.as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 12:54
S67	10395	{("mobile phone" or cellphone or cellular) (user or subscriber) (configuration or services or profile or setting or features) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:03
S68	1001	{("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:05
S69	68	{("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:06

S70	57	{"mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:08
S71	4	{"mobile phone" or cellphone or cellular or phone) WITH (change or modify or update) WITH (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:12
S72	4	{"mobile phone" or cellphone or cellular or phone) WITH (change or modify or update) WITH (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven not redirection	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:22
S73	7	{"mobile phone" or cellphone or cellular or phone) WITH (change or modify or update or configure or select or determine or choose or pick) WITH (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization).detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven not redirection	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:24
S74	133	{"mobile phone" or cellphone or cellular or phone) WITH (change or modify or update or configure or select or determine or choose or pick) WITH (configuration or services or profile or setting or features) (web or browser or internet).detd. (sync or synchronize or synchronization).detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven not redirection	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/06/04 13:25

S75	1	("20030046433").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/06/04 15:36
S76	2701	709/220.cds. (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/12 17:36
S77	1913	mobile (sync or synchronize or synchronization) WITH (config or configuration) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/12 17:36
S78	1	("20030046433").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/01/12 17:52
S79	95	mobile (preferences or configuration) WITH interface web adj2 interface voice adj2 interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/12 17:56
S80	13	mobile (sync or synchronize or synchronization) WITH (config or configuration) "master copy" (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/12 17:56
S81	449	(sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/12 17:56
S82	6937	(sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/12 17:56
S83	58	("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not synoML not oven	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/01/13 11:26
S84	2777	709/220.cds. (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

S85	1997	mobile (sync or synchronize or synchronization) WITH (config or configuration) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S86	14	mobile (sync or synchronize or synchronization) WITH (config or configuration) "master copy" (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S87	1	("20020107920").FN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
S88	1245	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S89	940	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (automated or automatic) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S90	210	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S91	3476	mobile (sync or synchronize or synchronization) (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S92	3965	subscriber (sync or synchronize or synchronization) (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S93	1505	subscriber (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

S94	39	subscriber (automated or automatic) SAME (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S95	1176	mobile subscriber (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S96	118	mobile subscriber WITH database (sync or synchronize or synchronization) SAME (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset or mobile) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S97	1	("20030236874").FN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
S98	10213	mobile (preferences or configuration) WITH interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S99	648	mobile (preferences or configuration) WITH interface web WITH interface voice with interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S100	102	mobile (preferences or configuration) WITH interface web adj2 interface voice adj2 interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S101	81	mobile (preferences or configuration) WITH interface (web adj2 interface).detd. (voice adj2 interface).detd. (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S102	1	("6853714").FN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16

S103	210	mobile (sync or synchronize or synchronization) WITH (config or configuration) (internet or webpage or web-page) (automated or automatic) (handset or cell or cellphone or headset) {(@ad<"20031016" OR @riad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S104	12989	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or configuration or settings or profile) {(@ad<"20031016" OR @riad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S105	3789	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or configuration or settings or profile) (mobile or cellphone or handset or cellular) {(@ad<"20031016" OR @riad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S106	3694	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or configuration or settings or profile) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016" OR @riad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S107	2674	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular or subscriber) {(@ad<"20031016" OR @riad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S108	2668	{sync or synchronize or synchronization) (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular or subscriber) {(@ad<"20031016" OR @riad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

SI09	1922	{sync or synchronize or synchronization} (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular or subscriber) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
SI10	607	{sync or synchronize or synchronization} (master or primary) WITH (database or repository or copy) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) subscriber (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
SI11	149	{sync or synchronize or synchronization} SAME ((master or primary) WITH (database or repository or copy)) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) subscriber (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
SI12	3808	{sync or synchronize or synchronization} (master or primary) (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) subscriber (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
SI13	1	{sync or synchronize or synchronization} (master or primary) subscriber WITH (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
SI14	1	{sync or synchronize or synchronization} subscriber WITH (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
SI15	6993	{sync or synchronize or synchronization} subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

S116	3808	{sync or synchronize or synchronization) (master or primary) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S117	1173	{sync or synchronize or synchronization) (master or primary) subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S118	310	{sync or synchronize or synchronization) SAME subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S119	219	{(master or primary) (sync or synchronize or synchronization) SAME subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S120	633	{(sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S121	455	{(sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S122	392	{(sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (database or repository or copy) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16



S123	413	{sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (database or repository or copy) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S124	561	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("OTA" or "over-the-air" OR OTAS\$2) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S125	1	("6549770").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
S126	1	("5930704").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
S127	471	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("over-the-air" OR "over the air") (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S128	26	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("over-the-air" OR "over the air") WITH programming (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S129	40	{sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) ("over-the-air" OR "over the air") WITH program\$4 (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S130	56	{sync or synchronize or synchronization) subscriber ("over-the-air programming" OR "over the air programming" OR "OTA programming" OR OTAPA OR OTASP) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

S131	217	subscriber ("over-the-air programming" OR "over the air programming" OR "OTA programming" OR OTAPA OR OTASP) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S132	7553	(mobile station) (sync or synchronize or synchronization) SAME (configuration or parameter or services or function or profile or setting) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S133	2912	("mobile station") (sync or synchronize or synchronization) SAME (configuration or parameter or services or function or profile or setting) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S134	78	("mobile station") (sync or synchronize or synchronization) SAME (configuration or parameter or services or function or profile or setting) SAME database (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S135	3335	("mobile station" or cellphone or cellular) (update or synchronize) SAME (configuration or parameter or services or function or profile or setting) SAME database (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S136	15285	("mobile station" or cellphone or cellular) (update or synchronize) SAME (configuration or parameter or services or function or profile or setting) (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S137	1162	("mobile station" or cellphone or cellular) (update or synchronize) WITH (configuration or parameter or services or function or profile or setting) WITH database (@ad<"20031016") not lucent.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S138	133	("mobile station" or cellphone or cellular) (update or synchronize) SAME (configuration or parameter or services or function or profile or setting) OTA (@ad<"20031016") not lucent.as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S139	1	("20050059393").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16

S140	1	("20030065738").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
S141	11913	(mobile or cellphone or cellular) (update or synchronize or modify) SAME (configuration or services or profile or setting) {(@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S142	10449	(mobile or cellphone or cellular) (user or subscriber) same (update or synchronize or modify or change) SAME (configuration or services or profile or setting) {(@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S143	6033	(mobile or cellphone or cellular) (user or subscriber) same (update or synchronize or modify or change) WITH (configuration or services or profile or setting) {(@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S144	4424	(mobile or cellphone or cellular) (user or subscriber) WITH (update or modify or change) WITH {(configuration or services or profile or setting) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S145	308	(mobile or cellphone or cellular) (user or subscriber) WITH (update or modify or change) WITH (configuration or services or profile or setting) (send or download or synchronize) WITH (setting or configuration or profile or configuration) WITH (device or cellphone or mobile) {(@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S146	6988	(mobile or cellphone or cellular) (user or subscriber) SAME (update or modify or change) WITH {(configuration or services or profile or setting or features) {(@ad<"20031016") not lucent.as. not vehicle not XML not syncML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

S147	1347	(mobile or cellphone or cellular) (user or subscriber) SAME (update or modify or change) WITH (configuration or services or profile or setting or features) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S148	1673	(mobile or cellphone or cellular) (user or subscriber) (configuration or services or profile or setting or features) WITH (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S149	84	(mobile or cellphone or cellular) (user or subscriber) (configuration or services or profile or setting or features) WITH (sync or synchronize or synchronization). detd. (master or subscriber or user) adj database (@ad<"20031016") not lucent.as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S150	10662	("mobile phone" or cellphone or cellular) (user or subscriber) (configuration or services or profile or setting or features) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S151	1033	("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S152	70	("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not syndML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

S153	59	("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S154	4	("mobile phone" or cellphone or cellular or phone) WITH (change or modify or update) WITH (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S155	4	("mobile phone" or cellphone or cellular or phone) WITH (change or modify or update) WITH (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven not redirection	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S156	7	("mobile phone" or cellphone or cellular or phone) WITH (change or modify or update or configure or select or determine or choose or pick) WITH (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization).detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven not redirection	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
S157	134	("mobile phone" or cellphone or cellular or phone) WITH (change or modify or update or configure or select or determine or choose or pick) WITH (configuration or services or profile or setting or features) (web or browser or internet).detd. (sync or synchronize or synchronization).detd. (user or subscriber) (@ad<"20031016") not lucent.as. not vehicle not XML not syncML not oven not redirection	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16

St 58	1	("20030046433").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
St 59	2777	709/220.ccls. (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 60	1997	mobile (sync or synchronize or synchronization) WITH (config or configuration) (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 61	1	("20030046433").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2009/04/30 15:16
St 62	102	mobile (preferences or configuration) WITH interface web adj2 interface voice adj2 interface (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 63	14	mobile (sync or synchronize or synchronization) WITH (config or configuration) "master copy" (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 64	455	(sync or synchronize or synchronization) subscriber near2 (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (update or download) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 65	6993	(sync or synchronize or synchronization) subscriber (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad<"20031016") not lucent.as. not "location system"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 66	59	("mobile phone" or cellphone or cellular) (user or subscriber) (change or modify or update) near2 (configuration or services or profile or setting or features) WITH (web or browser or internet) (sync or synchronize or synchronization). detd. (@ad<"20031016") not lucent. as. not vehicle not XML not synoML not oven	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:16
St 67	425081	"713"/\$.ccls. OR "709"/\$.ccls. OR "369"/\$.ccls. OR "370"/\$.ccls. OR "455"/\$.ccls. OR "710"/\$.ccls. (@ad<"20031016" OR @rlad<"20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:29

S168	395245	{sync or synchronize or synchronization) "713"/\$.ccls. OR "709"/\$.ccls. OR "369"/\$.ccls. OR "370"/\$.ccls. OR "455"/\$.ccls. OR "710"/\$.ccls. (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:29
S169	389234	{sync or synchronize or synchronization) WITH (config or configuration or settings or profile) "713"/\$.ccls. OR "709"/\$.ccls. OR "369"/\$.ccls. OR "370"/\$.ccls. OR "455"/\$.ccls. OR "710"/\$.ccls. (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:29
S170	388863	{sync or synchronize or synchronization) WITH (config or configuration or settings or profile) (mobile or wireless or pda) "713"/\$.ccls. OR "709"/\$.ccls. OR "369"/\$.ccls. OR "370"/\$.ccls. OR "455"/\$.ccls. OR "710"/\$.ccls. (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:30
S171	2451	{sync or synchronize or synchronization) WITH (config or configuration or settings or profile) (mobile or wireless or pda) AND ("713"/\$.ccls. OR "709"/\$.ccls. OR "369"/\$.ccls. OR "370"/\$.ccls. OR "455"/\$.ccls. OR "710"/\$.ccls.) (@ad< "20031016" OR @rlad< "20031016")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:30
S172	876	{sync or synchronize or synchronization) (master or primary) subscriber SAME (settings or config or configuration or profile) (mobile or cellphone or handset or cellular) (@ad< "20031016") not lucent.as. not "location system" ("713"/\$.ccls. OR "709"/\$.ccls. OR "369"/\$.ccls. OR "370"/\$.ccls. OR "455"/\$.ccls. OR "710"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2009/04/30 15:30

4/ 30/ 09 3:49:08 PM

C:\Documents and Settings\ntaylor5\ My Documents\ EAST\ Workspaces\ app10.687456.wsp